Comprehensive Utilities Plan

Village of Sister Bay, Wisconsin

April 2008

Volume I of II
REPORT

SEH

Multidisciplined. Single Source.
Trusted Solutions.

REPORT TABLE OF CONTENTS

Page

TABLE OF CONTENTS ..... **i**
LIST OF TABLES ..... **vii**
LIST OF APPENDICES ..... **viii**

Chapter

1 INTRODUCTION **1-1**
1.1 PURPOSE 1-1
1.2 SCOPE 1-1

2 EXISTING PLANNING AREA CHARACTERISTICS **2-1**
2.1 INTRODUCTION 2-1
2.2 CLIMATE 2-1
2.3 GEOLOGY 2-2
2.3.1 Bedrock Geology 2-2
2.3.2 Glacial Geology 2-2
2.4 SOIL LIMITATIONS 2-3
2.4.1 General Soils Description 2-3
2.4.2 On-Site Sewage Disposal Systems 2-4
2.4.3 Prime Agricultural Lands 2-5
2.4.4 Basements 2-5
2.5 TOPOGRAPHY 2-5
2.6 WATER RESOURCES 2-6
2.6.1 Watersheds and Sub-Watersheds 2-6
2.6.2 Groundwater 2-6
2.6.3 Shoreland Corridors 2-6
2.6.4 Floodplains 2-6
2.6.5 Wetlands 2-7

3 POPULATION AND COMMUNITY GROWTH **3-1**
3.1 POPULATION 3-1
3.2 EXISTING LAND USE 3-1
3.3 FUTURE COMMUNITY GROWTH 3-5
3.4 FUTURE UTILITY SERVICE AREA 3-5
3.5 SUMMARY 3-5

4 WATER REQUIREMENTS **4-1**
4.1 WATER CONSUMPTION HISTORY 4-1
4.1.1 LGSD No. 1 Water Usage 4-1
4.2 PER CAPITA WATER USAGE 4-5
4.3 LARGE WATER USERS 4-5
4.4 UNACCOUNTED-FOR WATER 4-5
4.5 VARIATIONS IN CUSTOMER DEMANDS AND PUMPAGE 4-8
4.6 HOURLY DEMAND FLUCTUATIONS 4-12
4.7 WATER CONSUMPTION AND PUMPAGE PROJECTIONS 4-12
4.7.1 Residential Sales 4-12

4.7.2 Public Sales 4-15
4.7.3 Commercial Sales 4-15
4.7.4 LGSD No. 1 Sales 4-15
4.8 SUMMARY OF TOTAL DEMANDS AND PUMPAGE REQUIREMENTS 4-15
4.9 WATER NEEDS FOR FIRE PROTECTION 4-15

5 EXISTING WATER SYSTEM FACILITIES 5-1
5.1 EXISTING WELLS 5-1
5.1.1 Well 1 5-1
5.1.2 Well 2 5-1
5.1.3 Well 3 5-4
5.1.4 Historical Well Performance 5-4
5.2 EXISTING BOOSTER PUMP FACILITIES 5-4
5.2.1 Sister Bay Booster Station 5-6
5.2.2 Liberty Grove Booster Station 5-6
5.3 EXISTING STORAGE FACILITIES 5-6
5.3.1 Highway 57 Standpipe 5-6
5.3.2 Jungwirth Tower 5-6
5.4 EXISTING PRESSURE REDUCING STATIONS 5-6
5.5 WATER DISTRIBUTION SYSTEM 5-8
5.6 WATER SYSTEM CONTROLS 5-8

6 WATER SYSTEM EVALUATION 6-1
6.1 EXISTING SYSTEM DEFICIENCY ANALYSIS 6-1
6.2 WATER SYSTEM COMPUTER MODEL 6-1
6.3 WATER SYSTEM PRESSURES 6-3
6.4 FIRE FLOW CAPACITIES 6-3
6.4.1 Pipe Velocities, Head Loss, and Flow Carrying Capacity 6-5
6.5 SUPPLY RELIABILITY 6-5
6.6 WATER SUPPLY AND STORAGE 6-5
6.6.1 Reliable Supply Capacity 6-6
6.6.2 Water Storage Needs 6-6
6.6.3 Available Storage Capacity 6-9
6.6.4 Supply and Storage Requirements 6-9
6.7 SUMMARY 6-11

7 RECOMMENDED WATER SYSTEM IMPROVEMENTS 7-1
7.1 WATER STORAGE IMPROVEMENTS 7-1
7.1.1 Alternative 1 – Ground Storage and Booster Pump Station 7-2
7.1.2 Alternative 2 – Water Tower (Elevated Storage) in High Level Zone 7-2
7.1.3 Alternative 3 – Water Tower (Elevated Storage); Combined Pressure Zones 7-4
7.1.4 Storage Alternative Evaluation 7-4
7.1.4.1 Storage Alternative No. 1 Evaluation 7-5
7.1.4.2 Storage Alternative No. 3 Evaluation 7-6
7.1.5 Recommendation 7-8
7.1.5.1 Water Storage Approach 7-8
7.1.5.2 Water Storage Location 7-8
7.1.5.3 Water Storage Volume 7-10
7.2 WATER SERVICE TO OUTLYING AREAS 7-11
7.2.1 Future System Pressures 7-13

7.2.2 Future System Fire Flows 7-13
7.2.3 Outlying Future Service Area Recommendations 7-13
7.3 DISTRIBUTION SYSTEM IMPROVEMENTS 7-14
7.4 DISTRIBUTION SYSTEM EXPANSION 7-14
7.5 RECOMMENDED WATER SYSTEM CAPITAL IMPROVEMENTS 7-16
7.5.1 Estimated Cost of Water Main Improvements to Address Existing Deficiencies 7-16
7.5.2 Estimated Cost of Supply and Transmission Main Facilities to Serve Future Growth 7-16
7.5.3 Schedule of Improvements 7-16
7.5.4 Financing of Water System Improvements 7-18
7.5.5 Short-Term System Improvement Impacts on Utility Revenue Requirements 7-18
7.5.6 Water System Ordinance Review 7-21
7.5.6.1 Municipal Code 7-21
7.5.6.2 Engineering Design Manual 7-22

8 EXISTING SANITARY SEWER SYSTEM FACILITIES 8-1
8.1 DESCRIPTION OF SYSTEM 8-1
8.2 CONDITION OF SYSTEM 8-4
8.3 EXISTING SYSTEM FLOWS 8-7

9 SANITARY SEWER SYSTEM EVALUATION 9-1
9.1 SANITARY SEWER SYSTEM COMPUTER MODEL 9-1
9.1.1 Model Setup 9-1
9.1.2 Model Loading 9-1
9.1.3 Model Calibration 9-1
9.2 CAPACITY ANALYSIS 9-3
9.2.1 Pipe Capacity 9-3
9.2.2 Lift Station and Force Main Capacity 9-4

10 RECOMMENDED SANITARY SEWER SYSTEM IMPROVEMENTS 10-1
10.1 IMPROVEMENTS TO ADDRESS EXISTING DEFICIENCIES 10-1
10.1.1 Potential Future Capacity Restrictions 10-1
10.1.2 Pipe Settlements 10-1
10.1.3 Sump Manholes 10-3
10.2 IMPROVEMENTS TO MEET FUTURE NEEDS 10-3
10.2.1 Computer Model of Future System 10-3
10.2.2 Flow Generation Rates 10-3
10.2.3 Trunk Sewer Extensions 10-4
10.2.4 Routing of Future Flows to WWTP 10-7
10.2.5 Northern Regions 10-7
10.2.6 Southern Regions 10-8
10.2.6.1 Regions G, I, and J 10-8
10.2.6.2 Region H 10-8
10.2.6.3 Region H – Interim Lift Station 10-9
10.2.7 Impact of Future Expansion on Existing Facilities 10-10
10.3 RECOMMENDED SANITARY SEWER CAPITAL IMPROVEMENTS 10-10
10.3.1 Estimated Cost of Trunk Facilities to Address Existing Needs 10-10
10.3.2 Estimated Cost of Trunk Facilities to Serve Future Growth 10-13

10.3.3 Schedule of Improvements 10-18
10.3.4 Financing of Sewer Improvements 10-20
10.3.5 Short-Term System Improvement Impacts on Utility Revenue Requirements 10-20
10.3.6 Wastewater Collection System Ordinance Review 10-22
10.3.6.1 Municipal Code 10-22
10.3.6.2 Engineering Design Manual 10-24

11 EXISTING STORM WATER SYSTEM 11-1
11.1 GENERAL DESCRIPTION OF SYSTEM 11-1
11.2 OBSERVED AREAS OF CONCERN 11-2
11.2.1 Location #1: Area Bounded by Country Lane, Fieldcrest Road, and South Bay Shore Drive (STH 42) 11-2
11.2.2 Location #2: Westwood, Woodland, and Forest Road Area 11-2
11.2.3 Location #3: Sunnyside, Admiral, and Sunny Road Area 11-2
11.2.4 Location #4: STH 42 Corridor from Fieldcrest to Gateway 11-2
11.2.5 Location #5: Gateway Drive 11-3
11.2.6 Location #6: STH 42 North of Harbor Shores 11-3
11.2.7 Location #7: Storm Sewer Lift Station Pump 11-3
11.2.8 Location #8: Ponds and Beach Ridge/Bluff Depressions East of Downtown (between downtown and the bluffs) 11-3

12 STORM WATER MANAGEMENT EVALUATION 12-1
12.1 GENERAL 12-1
12.2 STORM WATER STUDY METHODOLOGY 12-1
12.3 INFRASTRUCTURE DATA AND FIELD OBSERVATIONS 12-3
12.3.1 Data Collection Methods 12-3
12.4 STORM WATER INFORMATION DEVELOPMENT AND ANALYSIS 12-3
12.5 FUTURE DEVELOPED CONDITION MODELS 12-5
12.6 HYDRAULIC AND HYDROLOGIC (H&H) ANALYSIS 12-5
12.6.1 Objectives 12-5
12.6.2 Planning Level Recommendations 12-5
12.6.3 System Hydraulic Performance 12-7
12.6.3.1 Watershed #900 – Meadow Wood Lane 12-8
12.6.3.2 Watershed #1000 Beach Road South of Seaquist Road 12-9
12.6.3.3 Watershed #1400-#1900-#3000 Beach Road and STH 42 North of Wildwood Road 12-9
12.6.3.4 Watershed #1500 – Muffin Road Cul de Sac 12-10
12.6.3.5 Watershed #1600 12-11
12.6.3.6 Watershed #2300 – Beach Road and STH 42 North of Waters End Road 12-11
12.6.3.7 Watershed #2500 – Beach Road and STM 42 North of Waters End Road 12-12
12.6.3.8 Watershed #2600 – Waters End 12-12
12.6.3.9 Watershed #2700 – Storm Water Wetland Lift Station 12-13
12.6.3.10 Watershed #2800 – Harbor Shores 12-15
12.6.3.11 Watersheds #2900 – Scandia Road and Sunset Road 12-15
12.6.3.12 Watershed #3000 – East Scandia Road 12-16
12.6.3.13 Summary Watershed #2700, #2900, and #3000 12-17
12.6.3.14 Watershed #3100 – Pheasant Park, Village Park to South

of Maple Drive 12-18
12.6.3.15 Watershed #3200 12-20
12.6.3.16 Watershed #3600 – Country Lane, Fieldcrest, & Golf Course 12-20
12.6.3.17 Watershed #3900 – STH 42 and STH 57 Convergence 12-23
12.6.3.18 Watershed #4000 – North Bay Shore Drive and East Mill Road 12-25
12.6.3.19 Watershed #4400 12-27
12.6.3.20 Watershed #5200 12-27
12.6.3.21 Watersheds #5800 and #5900 – Sunnyside, Admiral, and Sunny Road Area 12-28
12.6.3.22 Watershed #6300 – South Spring Road and STH 42 (North Bay Shore Drive) 12-28
12.7 SUMMARY OF STORM WATER IMPROVEMENT RECOMMENDATIONS 12-29
12.7.1 Natural Closed Depressions 12-31
12.7.2 Ditches 12-31
12.7.3 Storm Sewer 12-32
12.7.4 Outfalls 12-32

13 STORM WATER QUALITY MANAGEMENT EVALUATIONS & RECOMMENDATIONS 13-1
13.1 GENERAL 13-1
13.2 OBJECTIVES 13-1
13.3 STORM WATER QUALITY STUDY METHODOLOGY 13-2
13.4 SURFACE WATER QUALITY ANALYSIS 13-2
13.4.1 Water Quality Analysis 13-2
13.5 PLANNING LEVEL RECOMMENDATIONS 13-4
13.5.1 Storm Water Management Ordinance 13-4
13.5.1.1 Why Ordinance is Needed 13-4
13.5.1.2 Recommendations 13-4
13.6 BMP STRATEGIES – USE OF EXISTING FEATURES 13-4
13.6.1 Roadside Ditches as BMPs 13-4
13.6.2 Groundwater Protection Concerns – Natural Closed Depressions as BMPs 13-5
13.6.3 Recommended BMP 13-6
13.6.4 When to Use an Improved Natural Closed Depression 13-7
13.7 WATER QUALITY CAPITAL IMPROVEMENTS 13-8
13.8 ONGOING OPERATIONS 13-9

14 RECOMMENDED CAPITAL IMPROVEMENTS PLAN 14-1
14.1 RECOMMENDED WATER SYSTEM CAPITAL IMPROVEMENTS 14-1
14.1.1 Water Storage 14-1
14.1.2 Combining Pressure Zones 14-1
14.1.3 Water Service to Outlying Planning Areas 14-1
14.1.4 Distribution System 14-1
14.2 RECOMMENDED SANITARY SEWER CAPITAL IMPROVEMENTS 14-2
14.2.1 Improvements to Address Existing Needs 14-2
14.2.2 Improvements to Serve Future Growth 14-2
14.3 RECOMMENDED STORM WATER CAPITAL IMPROVEMENTS 14-2
14.3.1 Watersheds #2700 and #2900 14-3
14.3.2 Watershed #3100 14-3
14.3.3 Watershed #6300 14-3

14.3.4 Watershed #2800 14-3
14.3.5 Watershed #2600 14-3
14.3.6 Watershed #3600 14-3
14.3.7 Watershed #3900 14-3
14.3.8 Water Quality Capital Improvements 14-4
14.4 COMPREHENSIVE UTILITIES MASTER PLAN 14-4

LIST OF TABLES

Table		Page
3-1	Population Trends & Projections	3-2
3-2	Population Trends: Door County Communities	3-3
3-3	Existing Land Use: Sister Bay Utility Service Area	3-4
3-4	Current Planned Land Use: Comprehensive Utility Planning Area	3-6
4-1	Water Consumption History: Sister Bay Water Utility	4-2
4-2	Historical Customer Summary	4-3
4-3	Water Consumption History: LGSD No. 1	4-4
4-4	Historical Per Capita Usage	4-6
4-5	Summary of Largest Utility Customers	4-7
4-6	Seasonal Pumpage Variations	4-9
4-7	Daily Pumpage Variations	4-10
4-8	Statistical Analysis: Ratio of Average to Maximum Day Demand	4-11
4-9	Estimated Time-of-Day Demand Curve	4-13
4-10	Water Sales and Pumpage Projections	4-14
4-11	Future Pumpage Projections	4-16
5-1	Existing Well Data	5-2
5-2	Existing Well Pump Data	5-3
5-3	Existing Booster Pump Data	5-5
5-4	Existing Elevated Storage Tank Data	5-7
5-5	Water Main Size Distribution: Sister Bay Water Utility	5-9
5-6	Water Main Size Distribution: LGSD No. 1	5-10
5-7	Water Main Age Distribution	5-11
6-1	System Flow Test Results	6-2
6-2	Typical Fire Flow Requirements	6-4
6-3	Reliable Supply Capacity	6-7
6-4	Recommended Supply Capacity	6-8
6-5	Effective Standpipe Volume	6-10
6-6	Supply and Storage Needs	6-12
7-1	Ground and Elevated Storage Comparisons	7-3
7-2	Preliminary Budget Estimate: Ground Reservoir & Booster Pump Station	7-7
7-3	Preliminary Budget Estimate: Alternative No. 3	7-9
7-4	Project Budget Estimate Elevated Water Storage	7-12
7-5	Recommended Distribution System Improvements	7-15
7-6	Recommended Distribution System Expansion	7-17
7-7	Water System Capital Improvement Plan	7-19
7-8	Capital Improvements Impact on Utility Revenue Requirements	7-20
7-9	Preliminary Cost of Service Analysis	7-20
8-1	Sanitary Sewer Size Distribution: Sister Bay Water Utility	8-2
8-2	Sanitary Sewer Size Distribution: LGSD No. 1	8-3
8-3	Existing Lift Station Data	8-5
8-4	Existing Grinder Lift Station Data	8-6
8-5	Summary of 2005 Flows at WWTP	8-8

9-1 Unit and Area Flow Generation Rates for Existing Conditions 9-2
9-2 Capacity Level of Pipes under Existing Conditions 9-5

10-1 Improvements to Address Existing Deficiencies..... 10-2
10-2 Development Densities for Future Conditions 10-5
10-3 Unit and Area Flow Generation Rates for Future Conditions 10-6
10-4 Planning Level Cost for Interim Lift Station in Region H 10-11
10-5 Estimated Cost of Improvements to Address Existing Deficiencies 10-12
10-6 Estimated Cost of Trunk Facilities to Serve Expansion Areas (3 pages) 10-14
10-7 Sanitary Sewer Capital Improvement Plan – Short Term Improvements..... 10-19
10-8 Sanitary Sewer Capital Improvement Plan – Long Term Improvements..... 10-21
10-9 Capital Improvements Impact on Utility Revenue Requirements 10-23
10-10 Preliminary Cost of Service Analysis..... 10-23

12-1 Recommended Storm Water Planning Improvements..... 12-30

13-1 Recommended Storm Water Quality Improvements..... 13-10

14-1 Recommended Capital Improvements Plan..... 14-5

LIST OF APPENDICES

Appendix

A Well Performance Summary

B Water System Field Testing Summary

C H&H Analysis Summary

D Model Storm Water Ordinances and Illicit Discharge Program Proposal

E Water System Pressure and Fire Flow Maps / Alternative New Tower Locations

F Memorandums on Alternatives for Serving Region H with Sanitary Sewer